

Solutions to Selected Exercises

Problem Solving

1. $18/230 = 0.07826 = \text{about } 7.8\%$
3. $\text{€}250(0.23) = \text{€ } 57.50$ in VAT
5. $\$15000(5.57) = \$83,550$
7. absolute increase: 1050. Relative: $1050/3250 = 0.323 = 32.3\%$ increase
9. a. $2200 - 2200(0.15) = 2200(0.85) = \1870
b. Yes, their goal was to decrease by at least 15%. They exceeded their goal.
11. Dropping by 6% is the same as keeping 94%. $a(0.94) = 300$. $a = 319.15$. Attendance was about 319 before the drop.
13. a) Kaplan's enrollment was 64.3% larger than Walden's. 30510
b) Walden's enrollment was 39.1% smaller than Kaplan's.
c) Walden's enrollment was 60.9% of Kaplan's.
15. If the original price was \$100, the basic clearance price would be $\$100 - \$100(0.60) = \$40$. The additional markdown would bring it to $\$40 - \$40(0.30) = \$28$. This is 28% of the original price.
17. These are not comparable; "a" is using a base of all Americans and is talking about health insurance from any source, while "b" is using a base of adults and is talking specifically about health insurance provided by employers.
21. These statements are equivalent, if we assume the claim in "a" is a percentage point increase, not a relative change. Certainly these messages are phrased to convey different opinions of the levy. We are told the new rate will be \$9.33 per \$1000, which is 0.933% tax rate. If the original rate was 0.833% (0.1 percentage point lower), then this would indeed be a 12% relative increase.
23. 20% of 30% is $30\%(0.20) = 6\%$, a 6 percentage point decrease.
25. Probably not, unless the final is worth 50% of the overall class grade. If the final was worth 25% of the overall grade, then a 100% would only raise her average to 77.5%
27. $\$4/10$ pounds = \$0.40 per pound (or $10 \text{ pounds}/\$4 = 2.5$ pounds per dollar)
29. $x = 15$
31. 2.5 cups
33. 74 turbines
35. 96 inches
37. \$6000
39. 55.6 meters

43. The population density of the US is 84 people per square mile. The density of India is about 933 people per square mile. The density of India is about 11 times greater than that of the U.S.
49. The oil in the spill could produce 93.1 million gallons of gasoline. Each car uses about 600 gallons a year. That would fuel 155,167 cars for a year.
53. An answer around 100-300 gallons would be reasonable
57. 156 million miles
59. The time it takes the light to reach you is so tiny for any reasonable distance that we can safely ignore it. 750 miles/hr is about 0.21 miles/sec. If the sound takes 4 seconds to reach you, the lightning is about 0.84 miles away. In general, the lightning will be $0.21n$ miles away, which is often approximated by dividing the number of seconds by 5.
61. About 8.2 minutes
63. Four cubic yards (or 3.7 if they sell partial cubic yards)

Voting Theory

1.

Number of voters	3	3	1	3	2
1 st choice	A	A	B	B	C
2 nd choice	B	C	A	C	A
3 rd choice	C	B	C	A	B

3. a. $9+19+11+8 = 47$
 b. 24 for majority; 16 for plurality (though a choice would need a minimum of 17 votes to actually win under the Plurality method)
 c. Atlanta, with 19 first-choice votes
 d. Atlanta 94, Buffalo 111, Chicago 77. Winner: Buffalo
 e. Chicago eliminated, 11 votes go to Buffalo. Winner: Buffalo
 f. A vs B: B. A vs C: A. B vs C: B. B gets 2 pts, A 1 pt. Buffalo wins.
5. a. $120+50+40+90+60+100 = 460$
 b. 231 for majority; 116 for plurality
 c. A with 150 first choice votes
 d. A 1140, B 1060, C 1160, D 1240. Winner: D
 e. B eliminated, votes to C. D eliminated, votes to A. Winner: A
 f. A vs B: B. A vs C: A. A vs D: D. B vs C: C. B vs D: D. C vs D: C
 A 1pt, B 1pt, C 2pt, D 2pt. Tie between C and D.
 Winner would probably be C since C was preferred over D
7. a. 33
 b. 17

9. Yes, B
11. B, with 17 approvals
13. Independence of Irrelevant Alternatives Criterion
15. Condorcet Criterion

Weighted Voting

1. a. 9 players
 b. $10+9+9+5+4+4+3+2+2 = 48$
 c. 47
3. a. 9, a majority of votes
 b. 17, the total number of votes
 c. 12, which is $\frac{2}{3}$ of 17, rounded up
5. a. P1 is a dictator (can reach quota by themselves)
 b. P1, since dictators also have veto power
 c. P2, P3, P4
7. a. none
 b. P1
 c. none
9. a. $11+7+2 = 20$
 b. P1 and P2 are critical
11. Winning coalitions, with critical players underlined:
 $\{\underline{P1}, P2\}$ $\{\underline{P1}, P2, P3\}$ $\{\underline{P1}, P2, P4\}$ $\{\underline{P1}, P2, P3, P4\}$ $\{\underline{P1}, P3\}$ $\{\underline{P1}, P3, P4\}$
 P1: 6 times, P2: 2 times, P3: 2 times, P4: 0 times. Total: 10 times
 Power: P1: $\frac{6}{10} = 60\%$, P2: $\frac{2}{10} = 20\%$, P3: $\frac{2}{10} = 20\%$, P4: $\frac{0}{10} = 0\%$
13. a. $\{\underline{P1}\}$ $\{\underline{P1}, P2\}$ $\{\underline{P1}, P3\}$ $\{\underline{P1}, P4\}$ $\{\underline{P1}, P2, P3\}$ $\{\underline{P1}, P2, P4\}$ $\{\underline{P1}, P3, P4\}$ $\{\underline{P1}, P2, P3, P4\}$
 P1: 100%, P2: 0%, P3: 0%, P4: 0%
- b. $\{\underline{P1}, P2\}$ $\{\underline{P1}, P3\}$ $\{\underline{P1}, P4\}$ $\{\underline{P1}, P2, P3\}$ $\{\underline{P1}, P2, P4\}$ $\{\underline{P1}, P3, P4\}$ $\{\underline{P1}, P2, P3, P4\}$
 P1: $\frac{7}{10} = 70\%$, P2: $\frac{1}{10} = 10\%$, P3: $\frac{1}{10} = 10\%$, P4: $\frac{1}{10} = 10\%$
- c. $\{\underline{P1}, P2\}$ $\{\underline{P1}, P3\}$ $\{\underline{P1}, P2, P3\}$ $\{\underline{P1}, P2, P4\}$ $\{\underline{P1}, P3, P4\}$ $\{\underline{P1}, P2, P3, P4\}$
 P1: $\frac{6}{10} = 60\%$, P2: $\frac{2}{10} = 20\%$, P3: $\frac{2}{10} = 20\%$, P4: $\frac{0}{10} = 0\%$
15. $P3 = 5$. $P3+P2 = 14$. $P3+P2+P1 = 27$, reaching quota. P1 is critical.
17. Sequential coalitions with pivotal player underlined
 $\langle P1, \underline{P2}, P3 \rangle$ $\langle P1, \underline{P3}, P2 \rangle$ $\langle P2, \underline{P1}, P3 \rangle$ $\langle P2, \underline{P3}, P1 \rangle$ $\langle P3, \underline{P1}, P2 \rangle$ $\langle P3, \underline{P2}, P1 \rangle$
 P1: $\frac{2}{6} = 33.3\%$, P2: $\frac{2}{6} = 33.3\%$, P3: $\frac{2}{6} = 33.3\%$

19. a. 6, 7
 b. 8, given P1 veto power
 c. 9, given P1 and P2 veto power
21. If adding a player to a coalition could cause it to reach quota, that player would also be critical in that coalition, which means they are not a dummy. So a dummy cannot be pivotal.
23. We know P2+P3 can't reach quota, or else P1 wouldn't have veto power.
 P1 can't reach quota alone.
 P1+P2 and P1+P3 must reach quota or else P2/P3 would be dummy.
 a. $\{\underline{P1}, \underline{P2}\}$ $\{\underline{P1}, \underline{P3}\}$ $\{\underline{P1}, \underline{P2}, \underline{P3}\}$. P1: 3/5, P2: 1/5, P3: 1/5
 b. $\langle \underline{P1}, \underline{P2}, \underline{P3} \rangle$ $\langle \underline{P1}, \underline{P3}, \underline{P2} \rangle$ $\langle \underline{P2}, \underline{P1}, \underline{P3} \rangle$ $\langle \underline{P2}, \underline{P3}, \underline{P1} \rangle$ $\langle \underline{P3}, \underline{P1}, \underline{P2} \rangle$ $\langle \underline{P3}, \underline{P2}, \underline{P1} \rangle$
 P1: 4/6, P2: 1/6, P3: 1/6
25. [4: 2, 1, 1, 1] is one of many possibilities
27. [56: 30, 30, 20, 20, 10]
29. [54: 10, 10, 10, 10, 10, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1] is one of many possibilities

Fair Division

1. Chance values the veggie half at \$7.50 and pepperoni half at \$2.50.
 A full pepperoni slice is $\frac{1}{4}$ of the pepperoni half. Value $\$2.50/4 = \0.625
 A full veggie slice is $\frac{1}{4}$ of the veggie half. Value $\$7.50/4 = \1.875
 A slice that is $\frac{1}{2}$ pepperoni $\frac{1}{2}$ veggie is value $\$0.3125 + \$0.9375 = \$1.25$
3. Erin: Bowl 1, Catherine: Bowl 2, Shannon: Bowl 3
5. a. 25 Snickers @ \$0.01 each, 20 Milky Ways @ \$0.05 each, 60 Reese's @ \$0.02 each
 Value: $\$0.25 + \$1.00 + \$1.20 = \2.45
 b. No. Dustin values the whole bag at \$8, so a fair share would be \$4.
 c. Lots of possibilities. Here's a couple:
 80 Milky Ways, 0 Snickers, 0 Reese's
 50 Snickers, 50 Milky Ways, 50 Reese's
7. a. Zoe
 b. Maggie: s2, s3. Meredith: s1, s2. Holly: s3
 c. Maggie: s2, Meredith: s1, Holly: s3, Zoe: s4
9. a. P5
 b. \$6.50 (doesn't need to trim it much since they're last)
 c. P4 would receive it, with value \$6.00 (since P4 would trim it)

11. a. $(320+220)/4 = \$135$
 b. Desk and Vanity both go to A. A pays $\$320 + \$220 - \$135 = \405 to estate
 B gets \$95, C gets \$125, D gets \$110.
 c. Surplus of $\$405 - \$95 - \$125 - \$110 = \$75$ gets split, \$18.75 each.
 A gets desk and vanity, pays \$386.25 to estate
 B gets \$113.75, C gets \$143.75, D gets \$128.75
13. Fair shares: Abby: 10.333, Ben: 9, Carla: 7.667
 Motorcycle to Abby, Car to Ben, Tractor to Abby, Boat to Abby
 Initial: Abby pays \$10.667, Ben pays \$2, Carla gets \$7.667
 Surplus: \$5; \$1.667 each
 Final: Abby gets Motorcycle, Tractor and Boat, pays \$9
 Ben gets Car, pays \$0.333
 Carla gets \$9.334
15. Fair shares: Sasha: \$135, Megan: \$140
 Sasha gets: Couch, detail cleaning. Value \$80
 Megan gets: TV, Stereo, carpets. Value: \$260
 Initial: Sasha gets \$55, Megan pays \$120.
 Surplus: \$65; \$32.50 each
 Final: Sasha gets Couch and does detail cleaning, gets \$87.50
 Megan gets TV and stereo, and cleans carpets, pays \$87.50
17. a. s3, worth \$270
 b. s1 and s4 have combined value \$440 for Greedy, so piece would be worth \$220


Apportionment

1. a. Math: 6, English: 5, Chemistry: 3, Biology: 1
 b. Math: 7, English: 5, Chemistry: 2, Biology: 1
 c. Math: 6, English: 5, Chemistry: 3, Biology: 1
 d. Math: 6, English: 5, Chemistry: 3, Biology: 1
 e. Math: 6, English: 5, Chemistry: 2, Biology: 2
3. a. Morning: 1, Midday: 5, Afternoon: 6, Evening: 8
 b. Morning: 1, Midday: 4, Afternoon: 7, Evening: 8
 c. Morning: 1, Midday: 5, Afternoon: 6, Evening: 8
 d. Morning: 1, Midday: 5, Afternoon: 6, Evening: 8
 e. Morning: 2, Midday: 5, Afternoon: 6, Evening: 7
5. a. Alice: 18, Ben: 14, Carlos: 4
 b. Alice: 19, Ben: 14, Carlos: 3
 c. Alice: 19, Ben: 14, Carlos: 3
 d. Alice: 19, Ben: 14, Carlos: 3
 e. Alice: 18, Ben: 14, Carlos: 4


- 7. a. A: 40, B: 24, C: 15, D: 30, E: 10
- b. A: 41, B: 24, C: 14, D: 30, E: 10
- c. A: 40, B: 24, C: 15, D: 30, E: 10
- d. A: 40, B: 24, C: 15, D: 30, E: 10
- e. A: 40, B: 24, C: 15, D: 29, E: 11

Graph Theory


1.



3.



5.




7. The first and the third graphs are connected

9. Bern to Frankfurt to Munchen to Berlin: 12hrs 50 min. (Though trip through Lyon, Paris and Amsterdam only adds 30 minutes)

11. The first graph has an Euler circuit. The last two graphs each have two vertices with odd degree.



13. One of several possible eulerizations requiring 5 duplications:






17. Only the middle graph has a Hamiltonian circuit.






19. a. Ft Worth, Arlington, Mesquite, Plano, Denton, Ft Worth: 183 miles
 b. Same as part a
 c. Same as part a

21. a. ABDCEA
 b. ACEBDA
 c. ADBCEA




Scheduling






b. Critical path: T₁, T₄, T₇. Minimum completion time: 25


c. Critical path priority list: T₁, T₂, T₄, T₃, T₅, T₇, T₆





- b. Critical path: T₁, T₅, T₁₀. Minimum completion time: 24
 c. Critical path priority list: T₁, T₂, T₃, T₅, T₆, T₇, T₈, T₁₀, T₄, T₉

19. Critical path priority list: B, A, D, E, C, F, G



Growth Models

1. a. $P_0 = 20$. $P_n = P_{n-1} + 5$
 b. $P_n = 20 + 5n$
3. a. $P_1 = P_0 + 15 = 40 + 15 = 55$. $P_2 = 55 + 15 = 70$
 b. $P_n = 40 + 15n$
 c. $P_{10} = 40 + 15(10) = 190$ thousand dollars
 d. $40 + 15n = 100$ when $n = 4$ years.
5. Grew 64 in 8 weeks: 8 per week
 a. $P_n = 3 + 8n$
 b. $187 = 3 + 8n$. $n = 23$ weeks
7. a. $P_0 = 200$ (thousand), $P_n = (1 + 0.09) P_{n-1}$ where n is years after 2000
 b. $P_n = 200(1.09)^n$
 c. $P_{16} = 200(1.09)^{16} = 794.061$ (thousand) = 794,061
 d. $200(1.09)^n = 400$. $n = \log(2)/\log(1.09) = 8.043$. In 2008.
9. Let $n=0$ be 1983. $P_n = 1700(2.9)^n$. 2005 is $n=22$. $P_{22} = 1700(2.9)^{22} = 25,304,914,552,324$ people. Clearly not realistic, but mathematically accurate.

11. If n is in hours, better to start with the explicit form. $P_0 = 300$. $P_4 = 500 = 300(1+r)^4$
 $500/300 = (1+r)^4$. $1+r = 1.136$. $r = 0.136$
 a. $P_0 = 300$. $P_n = (1.136)P_{n-1}$
 b. $P_n = 300(1.136)^n$
 c. $P_{24} = 300(1.136)^{24} = 6400$ bacteria
 d. $300(1.136)^n = 900$. $n = \log(3)/\log(1.136) = \text{about } 8.62$ hours
13. a. $P_0 = 100$ $P_n = P_{n-1} + 0.70(1 - P_{n-1}/2000)P_{n-1}$
 b. $P_1 = 100 + 0.70(1 - 100/2000)(100) = 166.5$
 c. $P_2 = 166.5 + 0.70(1 - 166.5/2000)(166.5) = 273.3$
15. To find the growth rate, suppose $n=0$ was 1968. Then P_0 would be 1.60 and $P_8 = 2.30 = 1.60(1+r)^8$, $r = 0.0464$. Since we want $n=0$ to correspond to 1960, then we don't know P_0 , but P_8 would $1.60 = P_0(1.0464)^8$. $P_0 = 1.113$.
 a. $P_n = 1.113(1.0464)^n$
 b. $P_0 = \$1.113$, or about \$1.11
 c. 1996 would be $n=36$. $P_{36} = 1.113(1.0464)^{36} = \5.697 . Actual is slightly lower.
17. The population in the town was 4000 in 2005, and is growing by 4% per year.

Finance

1. $A = 200 + .05(200) = \$210$
3. $I=200$. $t = 13/52$ (13 weeks out of 52 in a year). $P_0 = 9800$
 $200 = 9800(r)(13/52)$ $r = 0.0816 = 8.16\%$ annual rate
5. $P_{10} = 300(1 + .05/1)^{10(1)} = \488.67
7. a. $P_{20} = 2000(1 + .03/12)^{20(12)} = \3641.51 in 20 years
 b. $3641.51 - 2000 = \$1641.51$ in interest
9. $P_8 = P_0(1 + .06/12)^{8(12)} = 6000$. $P_0 = \$3717.14$ would be needed
11. a. $P_{30} = \frac{200((1 + 0.03/12)^{30(12)} - 1)}{0.03/12} = \$116,547.38$
 b. $200(12)(30) = \$72,000$
 c. $\$116,547.40 - \$72,000 = \$44,547.38$ of interest
13. a. $P_{30} = 800,000 = \frac{d((1 + 0.06/12)^{30(12)} - 1)}{0.06/12}$ $d = \$796.40$ each month
 b. $\$796.40(12)(30) = \$286,704$
 c. $\$800,000 - \$286,704 = \$513,296$ in interest

$$15. \text{ a. } P_0 = \frac{30000(1 - (1 + 0.08/1)^{-25(1)})}{0.08/1} = \$320,243.29$$

$$\text{ b. } 30000(25) = \$750,000$$

$$\text{ c. } \$750,000 - \$320,243.29 = \$429,756.71$$

$$17. P_0 = 500,000 = \frac{d(1 - (1 + 0.06/12)^{-20(12)})}{0.06/12} \quad d = \$3582.16 \text{ each month}$$

$$19. \text{ a. } P_0 = \frac{700(1 - (1 + 0.05/12)^{-30(12)})}{0.05/12} = \text{ a } \$130,397.13 \text{ loan}$$

$$\text{ b. } 700(12)(30) = \$252,000$$

$$\text{ c. } \$252,200 - \$130,397.13 = \$121,602.87 \text{ in interest}$$

$$21. P_0 = 25,000 = \frac{d(1 - (1 + 0.02/12)^{-48})}{0.02/12} = \$542.38 \text{ a month}$$

23. a. Down payment of 10% is \$20,000, leaving \$180,000 as the loan amount

$$\text{ b. } P_0 = 180,000 = \frac{d(1 - (1 + 0.05/12)^{-30(12)})}{0.05/12} \quad d = \$966.28 \text{ a month}$$

$$\text{ c. } P_0 = 180,000 = \frac{d(1 - (1 + 0.06/12)^{-30(12)})}{0.06/12} \quad d = \$1079.19 \text{ a month}$$

25. First we find the monthly payments:

$$P_0 = 24,000 = \frac{d(1 - (1 + 0.03/12)^{-5(12)})}{0.03/12} \quad d = \$431.25$$

$$\text{ Remaining balance: } P_0 = \frac{431.25(1 - (1 + 0.03/12)^{-2(12)})}{0.03/12} = \$10,033.45$$

$$27. 6000(1 + 0.04/12)^{12N} = 10000$$

$$(1.00333)^{12N} = 1.667$$

$$\log((1.00333)^{12N}) = \log(1.667)$$

$$12N \log(1.00333) = \log(1.667)$$

$$N = \frac{\log(1.667)}{12 \log(1.00333)} = \text{ about } 12.8 \text{ years}$$

$$\begin{aligned}
 29. \quad 3000 &= \frac{60(1 - (1 + 0.14/12)^{-12N})}{0.14/12} \\
 3000(0.14/12) &= 60(1 - (1.0117)^{-12N}) \\
 \frac{3000(0.14/12)}{60} &= 0.5833 = 1 - (1.0117)^{-12N} \\
 0.5833 - 1 &= -(1.0117)^{-12N} \\
 -(0.5833 - 1) &= (1.0117)^{-12N} \\
 \log(0.4167) &= \log((1.0117)^{-12N}) \\
 \log(0.4167) &= -12N \log(1.0117) \\
 N &= \frac{\log(0.4167)}{-12 \log(1.0117)} = \text{about 6.3 years}
 \end{aligned}$$

$$31. \text{ First 5 years: } P_5 = \frac{50((1 + 0.08/12)^{5(12)} - 1)}{0.08/12} = \$3673.84$$

$$\text{Next 25 years: } 3673.84(1 + .08/12)^{25(12)} = \$26,966.65$$

$$33. \text{ Working backwards, } P_0 = \frac{10000(1 - (1 + 0.08/4)^{-10(4)})}{0.08/4} = \$273,554.79 \text{ needed at}$$

$$\text{retirement. To end up with that amount of money, } 273,554.70 = \frac{d((1 + 0.08/4)^{15(4)} - 1)}{0.08/4}.$$

He'll need to contribute $d = \$2398.52$ a quarter.

Statistics

1. a. Population is the current representatives in the state's congress
 - b. 106
 - c. the 28 representatives surveyed
 - d. 14 out of 28 = $\frac{1}{2}$ = 50%
 - e. We might expect 50% of the 106 representatives = 53 representatives
3. This suffers from leading question bias
5. This question would likely suffer from a perceived lack of anonymity
7. This suffers from leading question bias
9. Quantitative
11. Observational study
13. Stratified sample


15. a. Group 1, receiving the vaccine
 b. Group 2 is acting as a control group. They are not receiving the treatment (new vaccine).
 c. The study is at least blind. We are not provided enough information to determine if it is double-blind.
 d. This is a controlled experiment
17. a. Census
 b. Observational study

Describing Data


1. a. Different tables are possible

Score	Frequency
30	1
40	0
50	4
60	3
70	6
80	5
90	2
100	3

- b. This is technically a bar graph, not a histogram:



- c.



3. a. $5+3+4+2+1 = 15$

b. $5/15 = 0.3333 = 33.33\%$

5. Bar is at 25%. 25% of 20 = 5 students earned an A

7. a. $(7.25+8.25+9.00+8.00+7.25+7.50+8.00+7.00)/8 = \7.781

b. In order, 7.50 and 8.00 are in middle positions. Median = \$7.75

c. $0.25*8 = 2$. Q1 is average of 2nd and 3rd data values: \$7.375 $0.75*8 = 6$. Q3 is average of 6th and 7th data values: \$8.125

5-number summary: \$7.00, \$7.375, \$7.75, \$8.125, \$9.00

d. 0.637

9. a. $(5*0 + 3*1 + 4*2 + 2*3 + 1*5)/15 = 1.4667$

b. Median is 8th data value: 1 childc. $0.25*15 = 3.75$. Q1 is 4th data value: 0 children $0.75*15 = 11.25$. Q3 is 12th data value: 2 children

5-number summary: 0, 0, 1, 2, 5



d.

Number of Children

11. Kendra makes \$90,000. Kelsey makes \$40,000. Kendra makes \$50,000 more.

Probability

1. a. $\frac{6}{13}$ b. $\frac{2}{13}$

3. $\frac{150}{335} = 44.8\%$

5. $\frac{1}{6}$

7. $\frac{26}{65}$

9. $\frac{3}{6} = \frac{1}{2}$

11. $\frac{4}{52} = \frac{1}{13}$

13. $1 - \frac{1}{12} = \frac{11}{12}$

15. $1 - \frac{25}{65} = \frac{40}{65}$

17. $\frac{1}{6} \cdot \frac{1}{6} = \frac{1}{36}$

19. $\frac{1}{6} \cdot \frac{3}{6} = \frac{3}{36} = \frac{1}{12}$

21. $\frac{17}{49} \cdot \frac{16}{48} = \frac{17}{49} \cdot \frac{1}{3} = \frac{17}{147}$

$$23. \text{ a. } \frac{4}{52} \cdot \frac{4}{52} = \frac{16}{2704} = \frac{1}{169}$$

$$\text{ b. } \frac{4}{52} \cdot \frac{48}{52} = \frac{192}{2704} = \frac{12}{169}$$

$$\text{ c. } \frac{48}{52} \cdot \frac{48}{52} = \frac{2304}{2704} = \frac{144}{169}$$

$$\text{ d. } \frac{13}{52} \cdot \frac{13}{52} = \frac{169}{2704} = \frac{1}{16}$$

$$\text{ e. } \frac{48}{52} \cdot \frac{39}{52} = \frac{1872}{2704} = \frac{117}{169}$$

$$25. \frac{4}{52} \cdot \frac{4}{51} = \frac{16}{2652}$$

$$27. \text{ a. } \frac{11}{25} \cdot \frac{14}{24} = \frac{154}{600}$$

$$\text{ b. } \frac{14}{25} \cdot \frac{11}{24} = \frac{154}{600}$$

$$\text{ c. } \frac{11}{25} \cdot \frac{10}{24} = \frac{110}{600}$$

$$\text{ d. } \frac{14}{25} \cdot \frac{13}{24} = \frac{182}{600}$$

e. no males = two females. Same as part d.

$$29. P(\text{F and A}) = \frac{10}{65}$$

$$31. P(\text{red or odd}) = \frac{6}{14} + \frac{7}{14} - \frac{3}{14} = \frac{10}{14}. \text{ Or 6 red and 4 odd-numbered blue marbles is 10 out of 14.}$$

$$33. P(\text{F or B}) = \frac{26}{65} + \frac{22}{65} - \frac{4}{65} = \frac{44}{65}. \text{ Or } P(\text{F or B}) = \frac{18+4+10+12}{65} = \frac{44}{65}$$

$$35. P(\text{King of Hearts or Queen}) = \frac{1}{52} + \frac{4}{52} = \frac{5}{52}$$

$$37. \text{ a. } P(\text{even} \mid \text{red}) = \frac{2}{5} \quad \text{ b. } P(\text{even} \mid \text{red}) = \frac{2}{6}$$

$$39. P(\text{Heads on second} \mid \text{Tails on first}) = \frac{1}{2}. \text{ They are independent events.}$$

$$41. P(\text{speaking French} \mid \text{female}) = \frac{3}{14}$$

43. Out of 4,000 people, 10 would have the disease. Out of those 10, 9 would test positive, while 1 would falsely test negative. Out of the 3990 uninfected people, 399 would falsely test positive, while 3591 would test negative.

$$a. P(\text{virus} \mid \text{positive}) = \frac{9}{9+399} = \frac{9}{408} = 2.2\%$$

$$b. P(\text{no virus} \mid \text{negative}) = \frac{3591}{3591+1} = \frac{3591}{3592} = 99.97\%$$

45. Out of 100,000 people, 300 would have the disease. Of those, 18 would falsely test negative, while 282 would test positive. Of the 99,700 without the disease, 3,988 would falsely test positive and the other 95,712 would test negative.

$$P(\text{disease} \mid \text{positive}) = \frac{282}{282+3988} = \frac{282}{4270} = 6.6\%$$

47. Out of 100,000 women, 800 would have breast cancer. Out of those, 80 would falsely test negative, while 720 would test positive. Of the 99,200 without cancer, 6,944 would falsely test positive.

$$P(\text{cancer} \mid \text{positive}) = \frac{720}{720+6944} = \frac{720}{7664} = 9.4\%$$

$$49. 2 \cdot 3 \cdot 8 \cdot 2 = 96 \text{ outfits}$$

$$51. a. 4 \cdot 4 \cdot 4 = 64 \quad b. 4 \cdot 3 \cdot 2 = 24$$

$$53. 26 \cdot 26 \cdot 26 \cdot 10 \cdot 10 \cdot 10 = 17,576,000$$

$$55. {}_4P_4 \text{ or } 4 \cdot 3 \cdot 2 \cdot 1 = 24 \text{ possible orders}$$

$$57. \text{Order matters. } {}_7P_4 = 840 \text{ possible teams}$$

$$59. \text{Order matters. } {}_{12}P_5 = 95,040 \text{ possible themes}$$

$$61. \text{Order does not matter. } {}_{12}C_4 = 495$$

$$63. {}_{50}C_6 = 15,890,700$$

$$65. {}_{27}C_{11} \cdot 16 = 208,606,320$$

67. There is only 1 way to arrange 5 CD's in alphabetical order. The probability that the CD's are in alphabetical order is one divided by the total number of ways to arrange 5 CD's. Since alphabetical order is only one of all the possible orderings you can either use permutations, or

$$\text{simply use } 5!. P(\text{alphabetical}) = 1/5! = 1/(5 P 5) = \frac{1}{120}.$$

69. There are ${}_{48}C_6$ total tickets. To match 5 of the 6, a player would need to choose 5 of those 6, ${}_6C_5$, and one of the 42 non-winning numbers, ${}_{42}C_1$. $\frac{6 \cdot 42}{12271512} = \frac{252}{12271512}$

71. All possible hands is ${}_{52}C_5$. Hands with all hearts is ${}_{13}C_5$. $\frac{1287}{2598960}$.

$$73. \$3\left(\frac{3}{37}\right) + \$2\left(\frac{6}{37}\right) + (-\$1)\left(\frac{28}{37}\right) = -\$ \frac{7}{37} = -\$0.19$$

75. There are ${}_{23}C_6 = 100,947$ possible tickets.

$$\text{Expected value} = \$29,999\left(\frac{1}{100947}\right) + (-\$1)\left(\frac{100946}{100947}\right) = -\$0.70$$

$$77. \$48(0.993) + (-\$302)(0.007) = \$45.55$$

Sets

1. {m, i, s, p}

3. One possibility is: Multiples of 3 between 1 and 10

5. Yes

7. True

9. True

11. False

13. $A \cup B = \{1, 2, 3, 4, 5\}$



15. $A \cap C = \{4\}$

17. $A^c = \{6, 7, 8, 9, 10\}$

19. $D^c \cap E = \{t, s\}$

21. $(D \cap E) \cup F = \{k, b, a, t, h\}$

23. $(F \cap E)^c \cap D = \{b, c, k\}$



29. One possible answer: $(A \cap B) \cup (B \cap C)$

31. $(A \cap B^c) \cup C$

33. 5


35. 6

37. $n(A \cap C) = 5$

39. $n(A \cap B \cap C^c) = 3$

41. $n(G \cup H) = 45$

43. 136 use Redbox



45. a) 8 had seen exactly one b) 6 had only seen SW

Historical Counting

1. Partial answer: Jars: 3 singles, 3 @ x3, 2 @ x6, 1 @ x12. $3+9+12+12 = 36$

3. 113

5. 3022

7. 53

9. 1100100

11. 332

13. 111100010


15. 7,1,10 base 12 = 1030 base 10


17. 6,4,2 base 12 = 914 base 10

19. 175 base 10 = 1,2,7 base 12 = ⅈⅈⅈ

21. 10000 base 10 = 5,9,5,4 base 12 = ⅈⅈⅈⅈⅈ

23. $135 = 6,15$ base 20 = $\frac{\bullet}{\text{---}}$
 $\frac{\text{---}}{\text{---}}$
 $\frac{\text{---}}{\text{---}}$


25. $360 = 18,0$ base 20 = 

27. $10500 = 1,6,5,0$ base 20 


29. $1,2,12$ base 20 = 452 base 10

31. $3,0,3$ base 20 = 1203 base 10


33. $32 + 11 = 1,12_{20} + 11_{20} = 1,23_{20} = 2,3_{20} = 43$






35. $35 + 148 = 1,15_{20} + 7,8_{20} = 8,23_{20} = 9,3_{20} = 183$



37. $450 + 844 = 1,2,10_{20} + 2,2,4_{20} = 3,4,14_{20} = 1294$




Fractals




9. Four copies of the Koch curve are needed to create a curve scaled by 3.

$$D = \frac{\log(4)}{\log(3)} \approx 1.262$$



11. Eight copies of the shape are needed to make a copy scaled by 3. $D = \frac{\log(8)}{\log(3)} \approx 1.893$



15. a) $5 - i$ b) $5 - 4i$

17. a) $6 + 12i$ b) $10 - 2i$ c) $14 + 2i$

19. $(2 + 3i)(1 - i) = 5 + i$. It appears that multiplying by $1 - i$ both scaled the number away from the origin, and rotated it clockwise about 45° .

$$z_1 = iz_0 + 1 = i(2) + 1 = 1 + 2i$$

21. $z_2 = iz_1 + 1 = i(1 + 2i) + 1 = i - 2 + 1 = -1 + i$

$$z_3 = iz_2 + 1 = i(-1 + i) + 1 = -i - 1 + 1 = -i$$

$$z_0 = 0$$

$$z_1 = z_0^2 - 0.25 = 0 - 0.25 = -0.25$$

23. $z_2 = z_1^2 - 0.25 = (-0.25)^2 - 0.25 = -0.1875$

$$z_3 = z_2^2 - 0.25 = (-0.1875)^2 - 0.25 = -0.21484$$

$$z_4 = z_3^2 - 0.25 = (-0.21484)^2 - 0.25 = -0.20384$$


25. attracted, to approximately $-0.37766 + 0.14242i$

27. periodic 2-cycle

29. Escaping

31. periodic 3-cycle

33. a) Yes, periodic 3-cycle b) Yes, periodic 3-cycle c) No



Cryptography

1. ZLU KZB WWS PLZ

3. SHRED EVIDENCE

5. O2H DO5 HDV

7. MERGER ON

9. MNI YNE TBA AEH RTA TEA TAI LRE A

11. THE STASH IS HIDDEN AT MARVINS QNS

13. UEM IYN IOB WYL TTL N

15. HIRE THIRTY NEW EMPLOYEES MONDAY

17. ZMW NDG CDA YVK

19. a) 3 b) 0 c) 4

21. We test out all n from 1 to 10

n	4^n	$4^n \bmod 11$
1	4	4
2	16	5
3	64	9
4	256	3
5	1024	1
6	4096	4
7	16384	5
8	65536	9
9	262144	3
10	1048576	1

Since we have repeats, and not all values from 1 to 10 are produced (for example, there is no n is $4^n \bmod 11 = 7$), 4 is *not* a generator mod 11.

$$23. 157^{10} \bmod 5 = (157 \bmod 5)^{10} \bmod 5 = 2^{10} \bmod 5 = 1024 \bmod 5 = 4$$

$$25. 3^7 \bmod 23 = 2$$

$$27. \text{ Bob would send } 5^7 \bmod 33 = 14. \text{ Alice would decrypt it as } 14^3 \bmod 33 = 5$$

$$31. \text{ a. } 67^8 \bmod 83 = (67^4 \bmod 83)^2 \bmod 83 = 49^2 \bmod 83 = 2401 \bmod 83 = 77$$

$$67^{16} \bmod 83 = (67^8 \bmod 83)^2 \bmod 83 = 77^2 \bmod 83 = 5929 \bmod 83 = 36$$

$$\text{ b. } 17000 \bmod 83 = (100 \bmod 83) \cdot (170 \bmod 83) \bmod 83 = (17)(4) \bmod 83 = 68$$

$$\text{ c. } 67^5 \bmod 83 = (67^4 \bmod 83)(67 \bmod 83) \bmod 83 = (49)(67) \bmod 83 = 3283 \bmod 83 = 46$$

$$\text{ d. } 67^7 \bmod 83 = (67^4 \bmod 83)(67^2 \bmod 83)(67 \bmod 83) \bmod 83 = (49)(7)(67) \bmod 83 = 22981 \bmod 83 = 73.$$

$$\text{ e. } 67^{24} = 67^{16}67^8 \text{ so}$$

$$67^{24} \bmod 83 = (67^{16} \bmod 83)(67^8 \bmod 83) \bmod 83 = (77)(36) \bmod 83 = 2272 \bmod 83 = 33$$

Logic

Boolean Logic

$$1. \{5, 15, 25, \dots\}$$

Quantified Statements

3. At least one person did not fail the quiz today.

Truth Tables

5. a. Elvis is alive or did not gain weight.
 b. It is not the case that Elvis is alive and gained weight.
 c. If Elvis gained weight, then he is not alive.
 d. Elvis is alive if and only if he did not gain weight.

7.

A	B	$\sim A$	$\sim A \vee B$	$\sim(\sim A \vee B)$
T	T	F	T	F
T	F	F	F	T
F	T	T	T	F
F	F	T	T	F

9.

A	B	C	$A \vee B$	$\sim C$	$(A \vee B) \rightarrow \sim C$
T	T	T	T	F	F
T	T	F	T	T	T
T	F	T	T	F	F
T	F	F	T	T	T
F	T	T	T	F	F
F	T	F	T	T	T
F	F	T	F	F	T
F	F	F	F	T	T

11.

A	B	$A \underline{\vee} B$
T	T	F
T	F	T
F	T	T
F	F	F

13. The results are identical; the exclusive or translates to “ $(A$ or $B)$ and not $(A$ and $B)$ ”.

Conditional Statements

15. a. Not necessarily true; this is the inverse. You could get your mouth washed out for some other reason.
 b. True; this is the contrapositive.
 c. Not necessarily true; this is the converse. You could get your mouth washed out for some other reason.

17. Luke faces Vader and Obi-Wan interferes.
19. a. This couldn't happen; you fulfilled your part of the bargain but your coach didn't.
b. This couldn't happen; you didn't fulfill your part of the bargain but your coach let you play anyway. This could happen with a conditional statement, but not a biconditional.
c. This could happen; practice = play, no practice = no play.

De Morgan's Laws

21. You don't need a dated receipt or you don't need your credit card to return this item.

Deductive Arguments

23. Valid, by the law of contraposition.
25. Valid, by disjunctive syllogism.
27. Invalid; we are using the inclusive or, so the sets of people with a pencil and people with a pen could possibly overlap. Marcie might be in the intersection of the two sets.

Logical Fallacies

29. False dilemma; you could fly, take a bus, hitchhike...
31. Correlation implies causation; maybe the only time our smoke detector goes off is when I burn dinner, and the kids choose to eat cereal whenever I burn dinner.